
distance within


home.

cleared by EH.

24 hours after symptoms start improving

(whichever is longer) [CDC]





# Non-ongoing (able to isolate) exposure to Illness or COVID-19 & not fully vaccinated

Close contact is someone within 6 feet for more than a cumulative 15 minutes in a 24-hour period (i.e. time of exposure does not have to be all at once).

### Close contact is COVID positive:

- 1) Please notify your supervisor/Employee Health exposure occurred and quarantine.
  - 2) Determine whether employee is in a critical staffing position with manager/supervisor review and director approval

Day zero = day of exposure.

Counting begins after Day zero for isolation/quarantine.

Non-critical staff

**Quarantine:** Manage health with PCP. RTW once cleared by Employee Health. Monitor for symptoms for 14 days. If remain asymptomatic, guarantine for 10 days. Critical staff

Test employee at 3 days after exposure if remains asymptomatic.

Ordering options for diagnostic (NP swab) testing:

- 1) PCP or
- 2) Virtual Clinic or
- 3) Straub Urgent Care Clinics in Kapolei & Kahala
- 4) WMC Drive Thru, Kaua'i Urgent Care

**Isolate:** Stay home from work until full resolution of any symptoms and cleared by Employee Health

- Expect to be out of work 10 days from initial symptoms (initial positive test if no symptoms) or 24 hours after symptoms start improving (whichever is longer) [CDC]

**POSITIVE** 

**NEGATIVE** 

If no symptoms, return to work after discussing with Employee Health (RTW day 6) and continue to self-monitor for symptoms for the remaining 14 days.

## Ongoing (unable to isolate) household contact to person with COVID-19 & not fully vaccinated

Close contact is someone within 6 feet for more than a cumulative 15 minutes in a 24-hour period (i.e. time of exposure does not have to be all at once).

Close contact is COVID positive

Please notify your supervisor/Employee Health (EH) that testing is being done and quarantine until result known

#### Test employee as soon as possible:

Ordering options for diagnostic (NP swab) test:

- 1) PCP or
- 2) Virtual Clinic or
- 3) Straub Urgent Care Clinics in Kapolei & Kahala
- 4) WMC Drive Thru, Kaua'i Urgent Care

Employee is negative on initial testing

Employee is positive when tested

Quarantine until household contact is cleared (at least 10 days).

**Isolate:** Stay home from work until full resolution of any symptoms and cleared by Employee Health.

- Expect to be out of work 10 days from initial symptoms (initial positive test if no symptoms) or 24 hours after symptoms start improving (whichever is longer) [CDC]

**POSITIVE** 

**If any symptoms during quarantine**, obtain a diagnostic retest.

If test is <u>negative</u>, complete 10 days until contact cleared. Then retest again to assess for RTW possibility with EH.

If **critical staff and asymptomatic**, obtain a diagnostic retest when household contact is cleared (at least 10 days).

If <u>positive</u>, isolate and continue to stay home.

If <u>negative</u>, can RTW with EH approval (earliest RTW is day 11). Continue to self-monitor for symptoms for the remaining 14 days.

If **not critical staff and asymptomatic**, quarantine 10 days after contact cleared. Continue to self-monitor for symptoms for the remaining 14 days.

### Work-related exposure of employee to COVID-19 & not fully vaccinated

No exposure

EH and IP will manage risk stratification

(based on PPE, time, proximity)

**Confirmed Exposure:** 

Please ensure that your supervisor and Employee Health are aware testing is being done and quarantine.

Employee may report to work. Self-monitor for symptoms for 14 days. If any symptoms develop employee should stay home and be tested.

> If test negative at 3 days and no symptoms, return to work after discussing with Employee Health (RTW day 4) and continue to self-monitor for symptoms for the remaining 14 days.

If test positive, stay home from work until full resolution of any symptoms and cleared by Employee Health.

- Determine whether employee is in a critical staffing position with manager/supervisor review and director approval.
- If **critical staff position**, test employee at 3 days after exposure if remains asymptomatic. Employee Health to order test.
- If **non-critical staff**, quarantine for 10 days if without symptoms, per CDC guidelines.

EH = Employee Health IP = Infection Prevention

